

Tacit Configurator

Please complete this form and email to us at info@tempest.biz

Name			Projector Powe IEC 60320 C19
Company			IEC 60309 30/ Custom (specif
Email			UST Lens Cor
Phone			
Projector & Lens Model #	Projector:	Lens:	90deg Up
Tacit Model	56		C
Quantity			90deg Right
Destination Country			
Install Date			
Enclosure Type	Landscape Portrait		Custom Requ
	Ultra Short Throw □		
Projector Slide	Left (as shown here) □ Right □		
	Front (custom) □ Back (custom) □		
Projector Mount	Landscape/UST: Feet Down ☐ Feet Up ☐ Portrait: Feet Left ☐ Feet Right ☐		
Unistrut Kit	Yes, Qty No 🗆	Mounting: Top □ Bottom □	
Ethernet Bridge	Yes, Qty	No □	Factory Use Or
Spare Inlet Filter	Yes, Qty	No □	SO Number
Color	Standard, Warm White		Date
	Standard, Black 🗆		Electrical
	Custom, RAL #		
	Gloss Level *	%	
	* Gloss levels higher th up weld marks. Tempe high gloss finishes and	st advises against	User
	in this event.	uccepts no navinty	2D ai

Projector Power Outlet	(all types include 2 x IEC	60320 C13 Aux Power):
IEC 60320 C19 20Amp	🗆	
IEC 60309 30/32Amp	□	
Custom (specify)	□	
UST Lens Configurat	ion:	
90deg Up □	90deg Down □	Periscopic A 🛚
Q.		
90deg Right □	90deg Left □	Periscopic B □

Custom Requests:		


Straight, Vshift Down

Factory Use Only:					
SO Number					
Date					
Electrical	IEC		NEMA		

User manuals, 2D and 3D CAD drawings at www.tempest.biz



Straight, Vshift Up



©Tempest Lighting, Inc., April 2021 In the interest of continuous product improvement, specifications are subject to change without notice



11845 Wicks Street, Sun Valley, CA 91352, USA www.tempest.biz info@tempest.biz t: +1 818 787 8984 f: +1 818 252 7101

