

Typhoon Configurator

Please complete this form and email to us at info@tempest.biz

Name		
Company		
Email		
Phone		
Projector & Lens Model #	Projector:	Lens:
Typhoon Model	54. _____	
Quantity		
Thermal Insulation	Yes, Qty _____ No _____	
Grab Handles	Yes, Qty _____ No _____	

Truss Kit	Yes, Qty _____ No _____	
Stacking Kit	Yes, Qty _____ No _____	
Drop Arm Kit	Yes, Qty _____ No _____	
Unistrut Kit	Yes, Qty _____ No _____	
Cycloator	Yes, Qty _____ No _____	
Remote Monitoring	System Manager <input type="checkbox"/>	TEMP <input type="checkbox"/>
	51.D4.23, Qty ____	51.D4.15, Qty ____
Spare Inlet Filter	Yes, Qty _____ No _____	
Spare Cable Flap	Yes, Qty _____ No _____	
Color	Standard, Black <input type="checkbox"/>	
	Custom, RAL # _____	
	Gloss Level _____%	

Connectors

Power Inlet Connector (choose 1) North America/Japan: L6-20 <input type="checkbox"/> L21-20 <input type="checkbox"/> L6-30 <input type="checkbox"/> L21-30 <input type="checkbox"/> <i>Note: 120V IEC C14 inlet included for aux power</i>
International: IEC-C20 <input type="checkbox"/> IEC309-16 <input type="checkbox"/> IEC309-32 <input type="checkbox"/>
Other (specify)
<i>NOTE: Typhoon 100 uses Neutrik PowerCon True TOP inlet</i>



Signal Feedthroughs (max 9 Neutrik slots plus 1 or 2 DVI)				
SLOT	TYPE	LABEL TEXT*	Type Codes	
1			A	EtherCon
2			B	OpticalCon Duo
3			C	BNC 75Ω
4			D	HDMI
5			E	DisplayPort
6			F	XLR5M
7			G	XLR5F
8			H	3.5mm Jack
9			J	DVI
DVI1			K	DisplayPort
DVI2			X	Blank

* Label Text - keep it short! 8 characters max.

Custom Requests

Factory Use Only:	
SO Number	
Date	
Electrical	IEC <input type="checkbox"/> NEMA <input type="checkbox"/>